

COOKER HOODS

Swegon CASA Cooker hoods



Cooker hoods for new multiapartmentbuildings

Small multi-apartment buildings with decentralized ventilation system



New large multi-apartment buildings with centralized ventilation system



Cooker hoods for old multi-apartmentbuildings

Small multi-apartment buildings with decentralized ventilation system (ILVA)



WISE APARTMENT for renovating the whole ventilation system in an old multi-apartment building



Old multi-apartment buildings with centralized ventilation system. (Free Flow)



Cooker hoods for new detached houses

Cooker hood connected to ventilation unit via kitchen bypass



Cooker hood connected to separate EC-roof fan



Cooker hood with integrated ventilation unit



Cooker hoods for old detached houses

Cooker hood connected to a separate AC-roof fan



Renovation Cooker hoods to replace an old kitchen unit



02 05/10/2020 We reserve the right to alter specifications. 05/10/2020 We reserve the right to alter specifications.

	* ILVA transform	er box as an access	ory (ITFC)								
Standard equipment			*******		5° (41)			4	The state of the s		70.2
Accessories	SMAKI										
 Not available 	SAMBA	JAZZ	SALSA	TANGO (70)	BLUES	ROCK	SWING		FUNK	SAMBA	BLUES
CASA ventilation units	•	•	•	•		•	•		•	-	-
Centralized systems	-	-	-	-	-	•	•		-		•
Centralized systems (Free Flow)	-	-	-	-	-	-	-		-	-	-
EC roof fans	•	•	•	•		•	•		_	-	-
AC roof fans (and AHU's)	O*	O*	O*	O*	O*	O*	0*		O*	-	-
Width mm	500/600	600	500/600	500/600	500/600	600/900 on a wall 900 over the kitchen island	600/900 on a wall 900 over the kitchen island		500/600	500/600	500/600
Height of front panel mm	52	64	64	560 (699) mm	105	60	50		115	52	105
Depth mm	518	525	525	295/490	525	490 on a wall 650 over the kitchen island	490 on a wall 650 over the kitchen island		520	518	525
Power conneciton	Mains adapter	Mains adapter	Mains adapter	Mains adapter	Mains adapter	Mains adapter	Mains adapter		Plug	Mains adapter	Mains adapter
Colour (frame/front glass)	White/ silver/black	White/ stainless steel	White/white White/black Silver/black	White	White/ stainless steel	Stainless steel	Stainless steel		White/ stainless steel (no 500mm)	White/ silver / black	White/ stainless steel
Lightning	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED	LED		LED (4000K)	LED (4000K)	LED (4000K)
Control panel	Capacitive touch screen	Capacitive touch screen	Capacitive touch screen	Buttons	Capacitive touch screen	Buttons	Buttons		Buttons	Capacitive touch screen	Capacitive touch screen
Grease filter	2 metal filters	2 stainless steel filters	1 stainless steel filter	2 (3) stainless steel filters	2 stainless steel filters	2-3 stainless steel filters	2-3 stainless steel filters		1 stainless steel filter	2 stainless steel filters	2 stainless steel filters
Damper	•	•	•	•	•	•	•		•	•	•
Electronic timer	•	•		•		•			•		•
Fan speed	3 speeds	3 speeds	3 speeds	3 speeds	3 speeds	3 speeds	3 speeds		3 speeds	-	-
Smoke limiter	-	-	0	0	0	-	-		-		
Sound attenuator box	-	-	0	-	0	-	-		-	•	•
Duct casing	-	-	-	-	White/ stainless steel	Stainless steel Wall 760 to 930 mm Kitchen island 760-1010 mm	Stainless steel Wall 760 to 930 mm Kitchen island 760-1010 mm		-	-	White/ stainless steel
Safera safety technology	0	0	0	0	Integrated also with an extinguisher	+	_		-	0	0
Safety voltage	•		•	•					-		•
Installation method	Between kitchen cabins	Between kitchen cabins below R2/R3	Between kitchen cabins	Between kitchen cabins	Between kitchen cabins/ on the wall	On a wall/over the kitchen island	On a wall/over the kitchen island		Between kitchen cabins	Between/under kitchen cabinets	Between kitchen cabins/on the wall
Provision to control the damper with a separate switch	•	•	•	•	•	•	•		•	•	•
Indicating signal for the damper position	•	•	•	•	•	•	•		•	•	•

			the same				
			CEN ⁻	TRAL			
FUNK	SAMBA	BLUES	SALSA	FUNK	TANGO (70)	FOLK	POP
	-	-	-	-	-	-	-
_	•				•		
_	-	-	-	-	-	-	-
_	_	-	-	-	-	-	-
O*	-	-	-	-	-	-	-
500/600	500/600	500/600	500/600	500/600	500/600	500/600	500/600
115	52	105	64	115	560 (699) mm	115	106
520	518	525	525	520	295/490	520	543
Plug	Mains adapter	Mains adapter	Mains adapter	Plug	Mains adapter	Plug	Plug
White/ stainless steel (no 500mm)	White/ silver/black	White/ stainless steel	White/white White/black Silver/black	White/ stainless steel (no 500mm)	White	White	White/glass
LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)
Buttons	Capacitive touch screen	Capacitive touch screen	Capacitive touch screen	Buttons	Buttons	Buttons	Button and control knob
1 stainless steel filter	2 stainless steel filters	2 stainless steel filters	1 stainless steel filter	1 stainless steel filter	2 (3) stainless steel filters	1 stainless steel filter	2 metal filters
•	•	•	•	•	•	•	•
•					•	Mechanical	Mechanical
3 speeds	-	_	_	_	_	_	_
_		•			•		
_					0		
-	-	White/ stainless steel	-	-	-	-	-
-	0	0	0	-	0	-	0
_		•	•	-	•	_	
Between kitchen cabins	Between/under kitchen cabinets	Between kitchen cabins/on the wall	Between kitchen cabins	Between kitchen cabins	Between kitchen cabins	Between kitchen cabins	Between kitchen cabins
•	•	•	•	•	•	-	-
•							

04 05/10/2020 We reserve the right to alter specifications. 05/10/2020 We reserve the right to alter specifications. 05



CENTRAL FREE FLOW							
BLUES FF	TANGO FF (70)	FOLK FF	POP FF				
-	-	-	-				
_	-	-	-				
•	•	•	•				
-	-	-	-				
-	-	-	-				
500/600	500/600	500/600	500/600				
105	560 (699) mm	115	106				
525	295/490	520	543				
Mains adapter	Mains adapter	Plug	Plug				
White	White	White	White/glass				
LED (4000K)	LED (4000K)	LED (4000K)	LED (4000K)				
Capacitive touch screen	Buttons	Buttons	Button and control knob				
2 stainless steel filters	2 (3) stainless steel filters	1 stainless steel filter	2 metal filters				
_	-	-	-				
_	-	-	-				
_	_	_	_				
0	0	0	0				
0	_	_	-				
O White	-	-	-				
Integrated also with an extinguisher	0	0	0				
•	•	_	_				
Between kitchen cabins/ on the wall	kitchen cabins/ kitchen cabins		Between kitchen cabins				
-	-	-	-				

Safera -stove quard

Available for all Smart cooker hoods


Swegon CASA cooker hoods can be equipped with SAFERA stove guard. It helps to prevent typical cooking fires by preventing unsupervised use and disconnecting power from the stove.



Safera stove guards are based on an intelligent sensor system, thanks to which Safera quickly stops any hazardous situations without interfering with everyday cooking. A power control unit is placed in the stoves electric connection while the safety sensor is already preinstalled in the cooker hood or connected with instruction for easy installation in preset place under the hood. Also leak detection sensor is available as an accessory.









Feel good **inside**



